Safety Data Sheet (SDS) Selektive 250 SC

According to UN GHS 8th Ed
Revision Date: 07/09/2022

First print date: 01/06/2018
Version: 1.1

SECTION 1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY/UNDERTAKING

Product identifier:

Identification as on the label/Trade name: Selektive 250 SC

Common name: Sulcotrione 250 g/l

Relevant identification uses of the substance and uses advised against:

Identified uses: Herbicide

Uses advised against: Use only as directed.

Details of the supplier of the Safety Data Sheet:

Enviro Bio-Chem (Pty) Ltd, 44 Kerk Street,
Lichtenburg, North West, South Africa, 2740

Details of the Registration Holder:

Enviro Bio-Chem (Pty) Ltd, 44 Kerk Street,
Lichtenburg, North West, South Africa, 2740

Contact Details:

Telephone: +27 87 231 7261
Fax: 086 541 7948
Website: www.envirobiochem.co.za

Emergency telephone numbers:

24 Hour Emergency Number: Bateleur: +27 83 123 3911
Griffon Poison Information Centre: +27 82 446 8946
Poisons Information Helpline: 0861 555 777
Tygerberg Hospital: +27 21 931 6129

SECTION 2. HAZARD IDENTIFICATION

Classification of the substances or mixture

The mixture is classified according to SANS 10234:2019, Regulation EC 1272/2008 [EU-GHS/CLP]

Hazard classes/Hazard categories	Hazard statement
Skin sensitisation (Category 2)	H317
Acute toxicity inhalation (Category 4)	H332
Reproduction (Category 2)	H361f
STOT RE (Category 2)	H373
Aquatic Toxicity Acute (Category 1)	H400
Aquatic Toxicity Chronic (Category 1)	H410

For full text of H statements see section 16

The most important adverse effects

The most important adverse physiochemical effects: None known

The most important adverse human health effects: Harmful if inhaled. Suspected of damaging fertility. May cause damage to organs through prolonged or repeated exposure. May cause an allergic skin reaction.

Label elements

Hazard pictograms
Signal Word: Warning

Hazard Statements:

H317	May cause an allergic skin reaction
H332	Harmful if inhaled
H361f	Suspected of damaging fertility
H373	May cause damage to organs through prolonged or repeated exposure (Kidneys)
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Precautionary Statements:

P102	Keep out of reach of children
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe mist, vapours and spray.
P264	Wash hands and face thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release into the environment.
P280	Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.
P302/352	IF ON SKIN: Wash with plenty of water and non-abrasive soap.
P308/313	If exposed or concerned: Get medical attention.
P333/313	If skin irritation or rash occurs: Get medical advice.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container to suitable landfill in accordance with local regulations.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance/Mixture: Mixture

Ingredients:

Substance name (IUPAC)	CAS Number.	Concentration % by weight	Classification EC1272/2008
Sulcotrione	99105-77-8	25%	Skin Sensitisation (Category 1) H317 STOT RE (Category 2),H373 Kidney Reproduction Toxicity (Category 2) H361f Aquatic Acute (Category 1) H400 Aquatic Chronic (Category 1) H410
Poly(oxy-1.2-ethanediyl), -tris(1-phenylethyl)phenyl-omega-hydroxy	99734-09-5	< 6%	Aquatic Chronic (Category 3) H412

Ethylene glycol	107-21-1	< 5%	Acute toxicity (Category 4) H302
Sodium benzoate	532-32-1	< 1%	Eye Irritation (Category 2A) H319

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

SECTION 4. FIRST AID MEASURES

Description of first aid measures:

In case of inhalation: Avoid inhalation of vapour or mist spray**.** If inhaled, remove to fresh air. Administer artificial respiration if breathing is stopped. Seek medical attention.

In case of skin contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Seek medical attention if symptoms persist.

In case of eye contact: Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. If eye symptoms (redness, irritation, or pain) persist refer patient to ophthalmologist for examination of eyes.

In case of ingestion: Wash out mouth with water if the patient is alert and conscious. Do NOT induce vomiting . If vomiting occurs spontaneously, keep head below hips to avoid aspiration. Keep patient at rest and transport to nearest medical facility for further treatment. attention. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar,tie, belt, or waistband.

Most important symptoms and effects, both acute and delayed:

Anticipated acute effects: Harmful if inhaled. May cause an allergic skin reaction.

Anticipated delayed effects: Suspected of damaging fertility. May cause damage to kidneys after prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed:

There is no specific antidote available. Treat symptomatically and supportively

SECTION 5. FIRE FIGHTING MEASURES

Extinguisher media:

Suitable extinguisher media: Foam. Dry powder. Carbon dioxide. Water spray.

Small Fire: Extinguish small fires with carbon dioxide, dry powder, or alcohol-resistant foam.

Large Fire: Water fog or foam can be used for larger fires or cooling of unaffected stock but avoid the accumulation ofpolluted run-off from the site.

Unsuitable extinguishing media**:** Do not use high volume water jet, due to contamination risk.

Special hazards arising from the mixture:

May release irritating fumes upon combustion such as oxides of carbon and nitrogen
Hazardous decomposition products in case of fire: Refer to Section 10: Stability and Reactivity.

Advice for fire-fighters:

Avoid inhaling hazardous vapours and fumes. Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear. Use an approved/certified respirator or equivalent.
Contain fire control agents for later disposal according to Section 13.
Water can be used to cool unaffected containers.

SECTION 6. ACCIDENTAL RELEASE

Personal precautions, protective equipment, and emergency procedures:

For non-emergency personnel: Keep all personal away may be toxic by inhalation. Avoid contact with eyes and skin.
For emergency responders: Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear. Use an approved/certified respirator or equivalent Avoid contact with eyes and skin. Do not breathe in fumes. Refer to section 8 for recommended personal protective equipment. Evacuate unnecessary personnel.

Environmental precautions:

Stop leak if without risk. Do not touch spilled material. Prevent entry into drains, watercourses, groundwater or confined areas: dike if needed. This product is classified to be very toxic to aquatic organisms and may cause long-term adverse effects in the aquatic environment.
If the product contaminates public water, inform appropriate authorities immediately in accordance with local regulations.
Dispose in a safe manner in accordance with local/national regulations.

Methods for containment and cleaning up:

For spills : Contain spilled product by diking area with sand, earth or silica gel. Prevent entry into drains, watercourses, or confined areas. Cover contained spill with an inert absorbent material e.g., sand, earth, vermiculite, or diatomaceous earth. Vacuum, scoop or sweep up material into a clean, dry, sealable container. Label container with the contents and dispose of according to local regulations. Do not reuse spilled material. To decontaminate the spill area, tools and equipment, wash with water and a suitable detergent.

Reference to other sections:

See section 1 for emergency contact details.
See section 7 for information on safe handling.
See section 8 for information on personal protection equipment.
See section 13 for information on disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling:

May be harmful if inhaled. Avoid contact with eyes and skin. Ensure adequate ventilation during handling and use. Do not handle broken containers without protective equipment. Immediately clean up spills that occur during handling. Keep containers tightly closed when not in use

Protective measures: Observe directions on label and instructions for use.

Advice on general occupational hygiene: Do not eat drink or smoke when handling this product.

Conditions for safe storage, including incompatibilities:

Keep out of reach of unauthorised persons, children, and animals. Store in its original labelled container tightly closed, in a dry, cool, and well- ventilated area. Do not store for prolonged periods in direct sunlight. Avoid excessive heat. Not to be stored close to food, feed and water supplies. Do not contaminated other pesticides and fertilizers

Specific end uses:

Use as directed. Use original container.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters:

Occupational exposure limits (OEL): No information available.

Biological exposure indices (BEI): No information available.

Additional exposure limits under the conditions of use: No information available.

Exposure control:

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. A Risk Assessment should be conducted before handling is to commence to determine specific exposure control.

Appropriate engineering controls: Adequate ventilation is essential. Appropriate measures depend on how this material is used and on the extent of exposure. Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OELs or other specified exposure limits. Local exhaust ventilation is preferred. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire, and other applicable regulations. Ensure that eyewash stations and safety showers are close to the workstation location.

Hygiene measures: Wash hands, forearms, and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

Personal Protective Equipment

Eye/face protection: Use safety glasses. If there is a potential for exposure to particles which could cause eye discomfort wear chemical goggles.

Hand protection: Use chemical resistant gloves. Examples of preferred glove barrier materials include Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, Polyvinyl alcohol, Polyvinyl chloride.

Body protection: Appropriate impervious clothing is required to prevent skin contact with the product.

Respiratory protection: For most well-ventilated conditions, no respiratory protection should be needed. If used in poorly ventilated area, us a NIOSH approved air purifying respirator with cartridges/canisters approved for organic vapours.

Environmental exposure controls: Prevent product from entry into sewers and water courses.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Liquid
Colour	Light yellow
Odour	No data available
Odour threshold	No data available
pH	No data available
Melting point / freezing point (° C)	No data available
Boiling point (° C)	No data available
Flash point (° C)	No data available
Evaporation rate	No data available
Flammability	Non flammable
Upper /lower flammability limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density g/ml (20°C)	1.130-1.140
Water solubility (g/l) at 20°C	Soluble in water
Partition coefficient : n-octanol/water	No data available
Auto-ignition temperature (° C)	No data available
Decomposition temperature (° C)	No data available
Viscosity, dynamic (mPa s)	No data available
Explosive properties	No data available
Oxidising properties	No data available

Explosive limits	No data available

SECTION 10. STABILTY AND REACTIVITY

Reactivity: None known

Chemical stability: Product is stable at ambient temperature and pressure, under normal storage and handling conditions. Stable for 2 years under normal warehouse conditions.

Possibility of hazardous reactions: None known

Conditions to avoid: Avoid excessive heat and ignition sources.

Incompatible materials: Highly alkaline conditions for extended periods of time.

Hazardous decomposition products: Combustion or thermal decomposition will evolve toxic and irritant vapors of chlorine and nitrous oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution: No data available

Information on toxicological effects:

Assessment of acute toxicity:

The product has not been tested. The data reported is for the main ingredients in the mixture.

Sulcotrione CAS No. 99105-77-8	
Acute toxicity:	
Acute Oral LD50 (rat)	>5000 mg/kg
Acute Dermal LD50 (rat):	>4000 mg/kg
Acute Inhalation LC50 - 4 h (rat)	>1.6mg/l
Skin irritation/ corrosion (rabbit)	Not a skin irritant
Respiratory or skin sensitization	Strong skin sensitiser
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Suspected to be toxic to reproduction
Specific Target Organ Toxicity STOT single exposure	No data available
Specific Target Organ Toxicity STOT repeated exposure	Suspected of damaging kidneys through prolonged or repeated exposure.
Aspiration hazard	No data available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Sodium Benzoate CAS No. 532-32-1	
Acute toxicity:	
Acute Oral LD50 (rat - male)	3450 mg/kg
Acute Dermal LD50 (rat):	2000 mg/kg
Acute Inhalation LC50 - 4 h (rat)	12.2 mg/l air
Skin irritation/ corrosion (rabbit)	Not a skin irritant
Eye damage / irritation (rabbit)	Eye irritant
Respiratory or skin sensitization (Guinea pig)	Not a respiratory or skin sensitizer

Germ cell mutagenicity Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative	
Carcinogenicity	No data available
Reproductive toxicity	No data available
Specific Target Organ Toxicity STOT single exposure	No data available
Specific Target Organ Toxicity STOT repeated exposure	No data available
Aspiration hazard	No data available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Ethylene Glycol CAS No. 107-21-1	
Acute toxicity:	
Acute Oral LD50 (rat)	7712 mg
Acute Dermal LD50 (mouse)	3500 mg/kg
Acute Inhalation LC50 - 6 h (rat)	2.5 mg/l
Skin irritation/ corrosion (rabbit)	No skin irritation 20h
Eye damage / irritation	No eye irritation 24h
Respiratory or skin sensitization	No data available
Germ cell mutagenicity	No data available
Carcinogenicity	No data available
Reproductive toxicity	No data available
Specific Target Organ Toxicity STOT single exposure	No data available
Specific Target Organ Toxicity STOT repeated exposure	No data available
Aspiration hazard	No data available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12. ECOLOGICAL INFORMATION

Sulcotrione CAS No. 99105-77-8	
Toxicity	
Birds Acute oral LD_{50} Acute Dietary LC_{50} (8d)	 >2111 mg/kg Bobwhite Quail; >1350 mg/kg Mallard Duck >5620 mg/kg Mallard Duck and Bobwhite quail
Aquatic Toxicity Fish LC_{50} Flow through (96 hr) Aquatic Toxicity Daphnia EC_{50} Flow through (48 hr) Toxicity to algae – static test EC_{50} (120h) Toxicity to bees LD_{50} (48 h) for contact	227 mg/l Rainbow trout; 240 mg/l Mirror Carp >848 mg/l 3.5mg/l for green algae (*Selenastrum capricornutum*) >50 µg/bee (contact); >200 µg/bee (oral) Low toxicity to bees
Persistence and degradability	Rapidly degraded in soil; lab. DT50 4–90 d; field DT50 1– 11 d. The major metabolite is 2-chloro-4- methylsulfonylbenzoic acid. Koc 17–58. No adverse effects on soil micro-organisms
Bioaccumulation potential	No data available
Mobility in soil	No data available

Result of PBT and vPvB assessment	No data available
Other adverse effects	No data available

Sodium Benzoate CAS No. 532-32-1	
Toxicity	
Aquatic Toxicity Fish flow through test LC_{50} (96 h) Aquatic Toxicity Daphnia static test LC_{50} (48h) Toxicity to algae – static test ErC50 (72h) Toxicity to bacteria static test EC50 (3h)	484 mg/l Pimephales promelas (fathead minnow) >100 mg/l Daphnia magna (Water flea) 100mg/l Pseudokirchneriella subcapitata (green algae) - No data available
Persistence and degradability	Readily biodegradable 94% (Aerobic)
Bioaccumulation potential	No data available
Mobility in Soil	No data available
Result of PBT and vPvB assessment	No data available
Other adverse effects	No data available

Ethylene Glycol CAS No. 107-21-1	
Toxicity	
Aquatic Toxicity Fish Static LC_{50} (96 hr) Aquatic Toxicity Daphnia LC_{50} (48 hr) Toxicity to algae – static test EC_{50} (72h) Toxicity to bacteria static test EC20 activated sludge (30 minutes) ISO 8192	>72860 mg/l Pimephales promelas (*fathead minnow*) >100 mg/l Daphnia magna (Water flea) >10000 mg/l - Scenedesmus quadricauda (Green algae) >1995 mg/l >84 µg/bee.
Persistence and degradability Biodegradability-aerobic 10 days	90-100 % - Readily biodegradable.
Bioaccumulation potential	No data available
Mobility in Soil	No data available
Result of PBT and vPvB assessment	No data available
Other adverse effects	No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods:

Product:

Keep out of drains, sewers, ditches, and waterways. Open dumping or burning of this pesticide is prohibited.
Waste resulting from the use of this product cannot be re-used or reprocessed. Refer to container label for disposal information. Treat as hazardous waste and dispose of in accordance with local/ regional/ national/ international regulations.

Container:

Refer to container label for disposal information. Emptied containers retain vapour and product residues. Observe all labelled safeguards until container is cleaned, reconditioned, or destroyed. Rinse empty container three times with a volume of water equal to at least one tenth of that of the container. Pour rinse water into spray tank. Dispose of as hazardous waste. not contaminate water when disposing of rinse water. Dispose of using an approved waste disposal service provider. Follow all local/ regional/ national/ international regulations.

SECTION 14. TRANSPORT INFORMATION

UN Number	3082
UN proper shipping name	Environmentally Hazardous Substance; Liquid; N.O.S. (Sulcotrione 250 g/l).

Transport hazard class	9
Packaging group	III
Marine pollutant	Yes

SECTION 15. REGULATORY INFORMATION

Safety, health, and environmental regulations/legislation for the mixture:

Relevant information regarding authorization: Occupational Health and Safety Act 1993. Regulation for Hazardous Chemical Agents, 2021.UN Recommendations on the Transport of Dangerous Goods Model Regulations Rev. 21 (2019), Globally Harmonized System of Classification and Labelling of Chemicals (GHS) Rev 8, 2019.

Relevant information regarding restrictions:

EU regulations: Regulation EC 1272/2008 [EU-GHS/CLP]

Other National regulations:

National Road Traffic Act, 1996 (ACT NO. 93 of 1996).

SANS 10228:2012- The identification and classification of dangerous goods for transport by road and rail modes.

National Environmental Management Waste Act 59 of 2008.

Act 36 of 1947 of the Republic of South Africa. This product is registered under it is a violation of South African law to use this product in any manner inconsistent with its approved labelling. Read and follow all label directions

Chemical Safety Assessment carried out? No

SECTION 16. OTHER INFORMATION

Indication of changes:

Classification according to SANS 10234:2019, Regulation EC 1272/2008 [EU-GHS/CLP]

GHS aligned – all sections

Training instructions:

Use as indicated on the label, special training may be required for application.

Further information:

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product, nor where instructions or recommendations are not followed.